

Nurse Q&A

COFLEX TLC ZINC & CALAMINE

Q: What type of patient would benefit from using CoFlex TLC Zinc?

A: Zinc oxide is a natural antiseptic and antibacterial agent, known for soothing and protecting skin from irritants as well as healing epidermal wounds.^{1,3} Patients with edema and multiple wounds or skin irritations (such as damaged skin from leaking exudate, eczema, cellulitis, dermatitis, etc.) would benefit from this product.

Q: What type of patient would benefit from using CoFlex TLC Calamine?

A: Calamine is known for its additional itch relieving properties. Calamine also contains zinc oxide, so provides the natural antiseptic and antibacterial agent, known for soothing and protecting skin from irritants as well as healing epidermal wounds.² Patients with itchy legs associated edema and multiple wounds or skin irritations (such as damaged skin from leaking exudate, eczema, cellulitis, dermatitis, etc.) would benefit from this product.

Q: Why use CoFlex TLC Zinc/Calamine versus a dry compression system?

A: In trial, Andover's CoFlex TLC Zinc has proven to⁵⁻¹⁰:

- Reduce patient pain and discomfort
- Reduce skin irritation and improve skin condition

Q: Why use CoFlex TLC Zinc/Calamine versus a traditional Unna's Boot?

A: Andover's CoFlex TLC Zinc/Calamine¹:

- Is less messy to apply
- The two layer kit provides consistent therapeutic compression
- Layer 1 absorbs 20 times its dry weight compared to the competition
- Layer 1 contains 50% more active ingredients per roll than the competition

Q: How often is the product applied?

A: The product is applied according to physician's orders per patient assessment.

Q: How long can the product remain in place?

A: Both products can be left on the patient for up to 7 days.

Q: Should I use a Lite or Standard compression?

A: Lite Compression is intended for patients with ABI ≥ 0.5 .
Standard Compression is intended for patients with ABI ≥ 0.8 .

Q: How do I know I've applied the intended compression level?

A: Layer 2 has visual indicators printed on the bandage. These indicators will reach intended therapeutic levels of compression stated on each box when stretched from an oval to a circle.

REPORTED BENEFITS FROM CLINICAL USE⁵⁻¹⁰:

Staff Reported	Patients Reported
Easy application	Reduced pain and discomfort
Increased patient compliance	Able to wear normal footwear
Decreased odor	Improved quality of life
Reduced edema & ulceration	Increased mobility
Reduced nursing time at bandage change	Comfortable, lightweight system that doesn't slip

References:

1. Burkhart, Craig G. "Zinc Therapy in Dermatology: A Review" Vol 2014, Article ID 709152
2. Dictionary.com (2018). [Online]; Available: <http://www.dictionary.com/browse/calamine>
3. Dupree, Rachele (2018). "Zinc Oxide: Historical Uses and Modern Benefits" [Online]; Available: <https://www.dermascope.com/resources/zinc-oxide-historical-uses-and-modern-benefits>
4. Forster, Elaine; "The Role of a Zinc Impregnated Two-Layer Latex Free Compression Bandage In a Patient with a 25 Year History of Venous Leg Ulcers and Associated Skin Irritation"
5. Hughes, Jennifer; "The Role of a Zinc Impregnated Two-Layer Latex Free Compression Bandage on Three Patients with A Mixture of Venous Leg Ulcers and Associated Skin Irritation with Numerous Comorbidities"
6. Luz BSR, Araujo CS, Atzingen DANCY, Mendonça ARA, Mesquita Filho M, Medeiros ML. "Evaluating the effectiveness of the customized Unna boot when treating patients with venous ulcers." *An Bras Dermatol.* 2013; 88(1):41-9.
7. McGrath, Alison; "A Case Study: Experience with a New Zinc Impregnated Compression Bandage"
8. Ogle, Heather; "Treatment of skin damage post cellulitis with zinc based compression"
9. Simon, Deborah; "The Role of a Zinc Impregnated Two-Layer Latex Free Compression Bandage for Patients with Venous Leg Ulcers and Associated Skin Irritation"
10. Stephen-Haynes, Jackie; "Clinical Evaluation of a New Impregnated and Odour Control 2-Layer Compression Bandage System in a Large Primary Care Organization"

